Amendments to the Claims

This Listing of Claims will replace all prior listings and versions of the claims in this application.

Listing of Claims

- 1. (Currently Amended) A disposable pretreatment module for purifying a fluid, in particular water, wherein the pretreatment module is adapted to be associated upstream of a purification treatment module in a fluid purification system, wherein the purification treatment module comprising a means for purifying a fluid by tangential filtration adapted to form part of a fluid purification system, and wherein the pretreatment module and comprising comprises: (1) a fluid purification pretreatment means; and (2) a housing in which the purification pretreatment means are housed; and a means for removably connecting the purification module to the purification system to wherein there is establish fluid communication between the purification system and the pretreatment purification module, and wherein the housing contains from the outset a cleaning agent disposed to come into contact with the a fluid caused to circulate inside the housing, to clean, at least a portion of the purification system downstream of the pretreatment module following starting a system cleaning procedure.
- 2. (Previously Presented) The module according to claim 1, wherein the housing may not be demounted.
- 3. (Currently Amended) The module according to claim 1, wherein the cleaning agent is disposed at a location selected from the group consisting of between an inlet for fluid to be treated formed in the housing and the purification <u>pretreatment</u> means of and between the purification <u>pretreatment</u> means and a purified fluid outlet formed in the housing.
- 4. (Currently Amended) The module according to claim 1, wherein the cleaning agent is housed in a space in the housing.

- 5. (Withdrawn; Previously Presented) The module according to claim 1, wherein the cleaning agent is housed in a space delimited by a retaining means for the cleaning agent.
- 6. (Currently Amended) The module according to claim 1, wherein the housing contains a tangential filtration purification means is selected from the group consisting of reverse osmosis, nanofiltration, ultrafiltration or and microfiltration.
 - 7. (Canceled)
- 8. (Currently Amended) The module according to claim 1, wherein the housing contains a fluid purification pretreatment means upstream of the purification processing means, the purification pretreatment means is selected from the group comprising consisting of ion exchanger activated supports, ion exchanger activated resins, activated charcoal, chlorine reduction agents, front filtration members, tartar formation reduction agents and combinations thereof of the above.
- 9. (Currently Amended) The module according to claim 1, wherein the cleaning agent comprises one or more a chemical compound or an association of chemical compounds, wherein the cleaning agent is capable of one or more of for destroying a biofilm, and/or having a bactericidal effect, and/or for eliminating organic soiling and/or eliminating mineral soiling.
- 10. (Currently Amended) The module according to claim 1, wherein the cleaning agent is in a form selected from the group consisting of powder, crystals, granules, tablets, capsules, or and sachets [-].
- 11. (Currently Amended) The module according to claim 1, wherein the cleaning agent is selected from the group consisting of a chlorinated product, an organochlorinated product, an oxidizing product, an acid, a base or and a disinfectant solution.
- 12. (Currently Amended) The module according to claim 1, wherein the cleaning agent is selected from the group consisting of bleach, a chloramine, hypochloric acid, hypochlorous acid, citric acid, tartaric acid, acetic acid, perchloric acid, peracetic acid and salts thereof, sodium hydroxide, potassium hydroxide, potassium permanganate, potassium dichromate, a solution of hydrogen peroxide and peracetic acid, or and organic complexes containing silver salts.

- 13. (Canceled)
- 14. (Previously Presented) A system for purifying a fluid comprising at least one fluid purification module as defined in claim 1.
- 15. (Withdrawn; Previously Presented) A method of fabricating a disposable fluid purification module according to claim 1, comprising the mounting of purification means in a housing, placing a cleaning agent inside the housing and closing the housing.
- 16. (Withdrawn; Previously Presented) A method of cleaning at least a portion of a fluid purification system comprising the steps of connecting a disposable fluid purification module of claim 1 to a fluid purification system and then starting a system cleaning procedure.
- 17. (Currently Amended) The module of claim 1, wherein the cleaning agent is housed in a recess in a raised portion of the housing.
- 18. (Withdrawn; Previously Presented) The module according to claim 1 wherein the cleaning agent is housed in a space delimited by a cage for the cleaning agent.
- 19. (Currently Amended) The module according to claim 1, wherein the housing contains a fluid purification pretreatment means upstream of the purification processing means, a tangential filtration purification processing means and the cleaning agent is disposed at a location selected from the group consisting of between the purification pretreatment means and the means for purifying a purification treatment means or purifying a liquid by between the tangential filtration processing means and the means for purifying a liquid by tangential filtration and a purified fluid outlet formed in the housing.
- 20. (Withdrawn; Previously Presented) A method of cleaning at least a portion of a fluid purification system comprising providing a fluid purification system, connecting a disposable fluid purification module to the fluid purification system, the module comprising a fluid purification means, a housing in which the purification means are housed, and a means for removably connecting the purification module to the purification system to establish fluid communication between the purification system and the purification module, the housing contains a cleaning agent disposed to come into

contact with the fluid caused to circulate inside the housing to clean at least a portion of the purification system, the housing further contains a means for identification of the module, the fluid purification system contains a means for reading the means for identification of the module and starting a system cleaning procedure for the fluid purification system following identification of the module by the fluid purification system.

21. (New) The disposable pretreatment module of claim 1, wherein the fluid is water.